

NETePay 5 Installation & Configuration Guide

Paymentech Canadian EMV

With Dial Backup

Part Number: 8709.94

NETePay Installation & Configuration Guide

Copyright © 2006 - 2017 Datacap Systems Inc. All rights reserved.

This manual and the hardware/software described in it are copyrighted materials with all rights reserved. Under copyright laws, the manual and the information contained in it may not be copied, in whole or in part, without written consent from Datacap Systems, Inc. except as may be required in normal use to make a backup copy of the software. Our policy of continuous development may cause the information and specifications contained herein to change without notice.

Notice:

This document contains information proprietary to Datacap Systems Inc. The only acceptable use for the information contained herein is to configure, interface and maintain third party systems exclusively to Datacap's ePay[™] server products. Any other use is strictly prohibited.

Datacap, Datacap Systems, NETePay[™], GIFTePay[™], DIALePay[™], DSIClient[™], DSIClientX[®], dsiPDCX[®], dsiEMVX[®], dsiEMVUS[®], ePay Administrator[™], IPTran[™], IPTran LT[™], IPTran LT Mobile[™], TwinTran[™], TwinTran[™], DataTran[™] are trademarks and/or registered trademarks of Datacap Systems Inc.

Microsoft, Windows NT 4.0, Windows 2000 Professional, Windows XP, Windows 98, Windows Server 2003, Windows Server 2012, Windows Server 2016, Windows Vista, Windows 7, Windows 8, and Windows 10 are registered trademarks of the Microsoft Corporation.

Other products or company names mentioned herein may be the trademarks or registered trademarks of their respective companies.

Revised: 05 September 2017

Version Support

This document supports the following application versions:

NETePay 5 (Paymentech - Canadian EMV) – Rental - Version 5.06 DSIEMVClientX - Version 1.27

Payment Processor Support

This document supports the following payment processor:

Paymentech - Canadian EMV With Dial Backup

CONTENTS

OVERVIEW	5
INTRODUCTION	5
About NETePay	5
About Datacap	
How IT WORKS	5
PA DSS 3.1 - IMPLEMENTATION GUIDE	6
About this Guide	6
NOTICE	6
Revision Information	7
Executive Summary	7
TYPICAL NETWORK IMPLEMENTATION	8
NETePay 5 – Network Diagram	8
The 12 Requirements of the PCI DSS:	
Considerations for the Implementation of Payment Application in a PCI-Compliant Environment	11
Remove Historical Sensitive Authentication Data (PA-DSS 1.1.4)	11
Handling of Sensitive Authentication Data (PA-DSS 1.1.5)	
Secure Deletion of Cardholder Data (PA-DSS 2.1)	
TO ADDRESS INADVERTENT CAPTURE OF PAN ON WINDOWS 7:	
Disabling System Restore – Windows 7	
Encrypting the System PageFile.sys – Windows 7	
Clear the System Pagefile.sys on shutdown – Windows 7	
Disable System Management of PageFile.sys – Windows 7	
Disable Windows Error Reporting – Windows 7	
TO ADDRESS INADVERTENT CAPTURE OF PAN ON WINDOWS 8, 10, SERVER 2008 OR 2012:	
Disable System Restore – Windows 8, 10, Server 2008 or 2012	
Encrypt PageFile.sys – Windows 8, 10, Server 2008 or 2012	
Clear the System Pagefile.sys on shutdown – Windows 8, 10, Server 2008 or 2012	
Disable System Management of PageFile.sys – Windows 8, 10, Server 2008 or 2012	
Disable Windows Error Reporting – Windows 8, 10, Server 2008 or 2012	
All PAN is Masked by Default (PA-DSS 2.2)	
Cardholder Data Encryption Key Management (PA-DSS 2.3, 2.4 and 2.5)	
Removal of Historical Cryptographic Material (PA-DSS 2.6)	
Set Up Strong Access Controls (3.1 and 3.2)	
Establishing a Windows Secure Group Access Policy	
Properly Train and Monitor Admin Personnel	
Log settings must be compliant (PA-DSS 4.1.b, 4.4.a, 4.4.b)	
PCI-Compliant Wireless settings (PA-DSS 6.1.a and 6.2.b)	
Services and Protocols (PA-DSS 8.2.c)	
Never store cardholder data on internet-accessible systems (PA-DSS 9.1.c)	
PCI-Compliant Remote Access (10.1)	
PCI-Compliant Delivery of Updates (PA-DSS 10.2.1)	
PCI-Compliant Remote Access (10.3.2.b)	
Data Transport Encryption (PA-DSS 11.1)	
PCI-Compliant Use of End User Messaging Technologies (PA-DSS 11.2.b)	35

Non-console Administration (PA-DSS 12.1)	
Network Segmentation	
Maintain an Information Security Program	
Application System Configuration	
Payment Application Initial Setup & Configuration	
INSTALLATION	
INTRODUCTION	
Requirements	
Baseline System Configuration	
INSTALLATION PROCEDURES	
Downloading the NETePay Software	
What's Included in the NETePay Installer Package	
Installing/Upgrading Microsoft Internet Explorer	
Installing NETePay (Required)	
Installing SQL Express 2008 (Required)	
Installing DSIEMVClientX ActiveX Control (Required)	
Installing Datacap DialLink modem (Required for Dial Operations)	
NETEPAY CONFIGURATION	
INTRODUCTION	
ACTIVATION AND PARAMETER DOWNLOAD	
VERIFYING YOUR SERIAL NUMBER AND ACTIVATION	
TESTING	
OPERATIONAL CONSIDERATIONS	
USING THE NETEPAY DATABASE MANAGER	53
INTRODUCTION	
Maintenance Functions	
USING THE NETEPAY DATABASE MANAGER	

OVERVIEW

Introduction

About NETePay

Developed by Datacap Systems, *NETePay* enables retail, restaurant and other businesses to perform fast electronic payment authorizations via the Internet.

NETePay is multi-threaded to accept simultaneous requests from multiple clients, and scalable so that customers can configure their store systems to fit their requirements and get the most favorable rates from their payment service.

About Datacap

Datacap Systems, Inc. develops and markets electronic payment interfaces that enable cash register and business systems developers to add electronic payment acceptance to their systems.

Datacap has various solutions that interface to virtually any hardware or software platform and send transactions to all major payment processors via most common communications technologies including dial, wireless, and Internet.

How it works

NETePay is an application that resides on a server (either at the store level or remotely, at the enterprise level) monitors encrypted transaction requests from client machines using a POS or restaurant application integrated with *DSIEMVClientX*, Datacap's XML ActiveX control.

When *NETePay* receives an encrypted transaction request from a client machine, it sends the request to the bankcard processor for approval via the Internet or PSTN dialup direct to the processing host. The transactions are then stored in a database that resides on the server. *NETePay* makes use of 128-bit encryption to provide secure transactions over the Internet.

CHAPTER 2

PADSS 3.1 - IMPLEMENTATION GUIDE

About this Guide

This document describes the steps that must be followed in order for your NETePay 5 installations to comply with Payment Application – Data Security Standards (PA-DSS). The information in this document is based on PCI Security Standards Council Payment Application - Data Security Standards program (version 3.1 dated May 2015)¹.

Datacap Systems instructs and advises its customers to deploy Datacap Systems applications in a manner that adheres to the PCI Data Security Standard (v3.0). Subsequent to this, best practices and hardening methods, such as those referenced by the Center for Internet Security (CIS) and their various "Benchmarks", should be followed in order to enhance system logging, reduce the chance of intrusion and increase the ability to detect intrusion, as well as other general recommendations to secure networking environments. Such methods include, but are not limited to, enabling operating system auditing subsystems, system logging of individual servers to a centralized logging server, the disabling of infrequently-used or frequently vulnerable networking protocols and the implementation of certificate-based protocols for access to servers by users and vendors.

You must follow the steps outlined in this *Implementation Guide* in order for your NETePay 5 installation to support your PCI DSS compliance efforts.

Notice

THE INFORMATION IN THIS DOCUMENT IS FOR INFORMATIONAL PURPOSES ONLY. Datacap Systems MAKES NO REPRESENTATION OR WARRANTY AS TO THE ACCURACY OR THE COMPLETENESS OF THE INFORMATION CONTAINED HEREIN. YOU ACKNOWLEDGE AND AGREE THAT THIS INFORMATION IS PROVIDED TO YOU ON THE CONDITION THAT NEITHER Datacap Systems NOR ANY OF ITS AFFILIATES OR REPRESENTATIVES WILL HAVE ANY LIABILITY IN RESPECT OF, OR AS A RESULT OF, THE USE OF THIS INFORMATION. IN ADDITION, YOU ACKNOWLEDGE AND AGREE THAT YOU ARE SOLELY RESPONSIBLE FOR MAKING YOUR OWN DECISIONS BASED ON THE INFORMATION HEREIN.

Nothing herein shall be construed as limiting or reducing your obligations to comply with any applicable laws, regulations or industry standards relating to security or otherwise including, but not limited to PCI PA-DSS and DSS.

The merchant may undertake activities that may affect compliance. For this reason, Datacap Systems is required to be specific to only the standard software provided by it.

¹ <u>PCI PA-DSS 3.1</u> can be downloaded from the PCI SSC Document Library.

Revision Information

	Name	Title	Date of Update	Summary of Changes	
NETePay 5 PA-DSS 3.1 Implementation Guide		PA-DSS 3.1 Implementation Guide	24 Sept 2015	Document Creation	

Note (PA-DSS 13.1): This PA-DSS Implementation Guide will be reviewed on a yearly basis, whenever the underlying application changes or whenever the PA-DSS requirements change. Updates will be tracked and reasonable accommodations will be made to distribute or make the updated guide available to users. Datacap Systems Inc. will distribute the IG to new customers via web download.

Executive Summary

NETePay 5 Ver. 5.06 has been Payment Application - Data Security Standard (PA-DSS) validated, in accordance with PA-DSS Version 3.1. For the PA-DSS assessment, we worked with the following PCI SSC approved Payment Application Qualified Security Assessor (PAQSA):



Coalfire Systems, Inc.


361 Centennial Parkway Suite 150 Louisville, CO 80027 Coalfire Systems, Inc. 1633 Westlake Ave N #100 Seattle, WA 98109

This document also explains the Payment Card Industry (PCI) initiative and the Payment Application Data Security Standard (PA-DSS) guidelines. The document then provides specific installation, configuration, and ongoing management best practices for using Datacap Systems' NETePay 5 Version 5.06 as a PA-DSS validated Application operating in a PCI DSS compliant environment.


PCI Security Standards Council Reference Documents The following documents provide additional detail surrounding the PCI SSC and related security programs (PA-DSS, PCI DSS, etc.):

- Payment Card Industry Payment Applications Data Security Standard (PCI PA-DSS) https://www.pcisecuritystandards.org/security_standards/index.php
- Payment Card Industry Data Security Standard (PCI DSS) <u>https://www.pcisecuritystandards.org/security_standards/pci_dss.shtmlhttps://www.pcisecuritystandards/index.php</u>
- Open Web Application Security Project (OWASP)
 <u>http://www.owasp.org</u>
- Center for Internet Security (CIS) Benchmarks (used for OS Hardening) <u>https://benchmarks.cisecurity.org/downloads/multiform/</u>

Typical Network Implementation



NETePay 5 – Network Diagram



NETePay 5 – Data Flow and Data Handling Diagram

Notes:

- 1. No MSR track, CVV or PIN data is stored at any time.
- 2. PAN is not stored if transaction request is not approved.
- 3. Only unsettled transactions are stored encrypted in the database; after settlement, PAN data is permanently deleted and replaced with truncated data.
- 4. DSIClientX, dsiPDCX and dsiEMVX have no persistent data storage capability and never retain any cardholder data.

Difference between PCI Compliance and PA-DSS Validation

As a software vendor who develops payment applications, our responsibility is to be "PA-DSS Validated." We have performed an assessment and payment application validation review with our independent assessment firm (PAQSA), to ensure that our platform does conform to industry best practices when handling, managing and storing payment related information.

PA-DSS Version 3.1 is the standard against which Payment Application has been tested, assessed, and validated.

PCI Compliance is then later obtained by the merchant, and is an assessment of your actual server (or hosting) environment called the Cardholder Data Environment (CDE).

Obtaining "PCI Compliance" is the responsibility of you the merchant and your hosting provider, working together, using PCI compliant architecture with proper hardware & software configurations and access control procedures.

The PA-DSS Validation is intended to ensure that NETePay 5 will help you facilitate and maintain PCI Compliance with respect to how the payment application handles user accounts, passwords, encryption, and other payment data related information.

The Payment Card Industry (PCI) has developed security standards for handling cardholder information in a published standard called the PCI Data Security Standard (DSS). The security requirements defined in the DSS apply to all members, merchants, and service providers that store, process, or transmit cardholder data.

The PCI DSS requirements apply to all system components within the payment application environment which is defined as any network device, host, or application included in, or connected to, a network segment where cardholder data is stored, processed or transmitted.

The 12 Requirements of the PCI DSS:

Build and Maintain a Secure Network and Systems

- 1. Install and maintain a firewall configuration to protect cardholder data
- 2. Do not use vendor-supplied defaults for system passwords and other security parameters

Protect Cardholder Data

- 3. Protect stored cardholder data
- 4. Encrypt transmission of cardholder data across open, public networks

Maintain a Vulnerability Management Program

- 5. Protect all systems against malware and regularly update anti-virus software or programs
- 6. Develop and maintain secure systems and applications

Implement Strong Access Control Measures

- 7. Restrict access to cardholder data by business need-to-know
- 8. Identify and authenticate access to system components
- 9. Restrict physical access to cardholder data

Regularly Monitor and Test Networks

- 10. Track and monitor all access to network resources and cardholder data
- 11. Regularly test security systems and processes

Maintain an Information Security Policy

12. Maintain a policy that addresses information security for all personnel

Considerations for the Implementation of Payment Application in a PCI-Compliant Environment

The following areas must be considered for proper implementation in a PCI-Compliant environment.

- ✓ Remove Historical Sensitive Authentication Data
- ✓ Handling of Sensitive Authentication Data
- ✓ Secure Deletion of Cardholder Data
- ✓ All PAN is masked by default
- ✓ Cardholder Data Encryption & Key Management
- ✓ Removal of Historical Cryptographic Material

Remove Historical Sensitive Authentication Data (PA-DSS 1.1.4)

Previous versions of NETePay 5 did not store sensitive authentication data. Therefore, there is no need for secure deletion of this historical data by the application as required by PA-DSS v3.1.

Handling of Sensitive Authentication Data (PA-DSS 1.1.5)

Datacap Systems does not store Sensitive Authentication Data for any reason. We strongly recommend that you do not store Sensitive Authentication Data for any reason. However, if you should do so, the preceding guidelines must be followed when dealing with Sensitive Authentication Data used for pre-authorization (swipe data, validation values or codes, PIN or PIN block data):

- Collect sensitive authentication data only when needed to solve a specific problem
- Store such data only in specific, known locations with limited access
- Collect only the limited amount of data needed to solve a specific problem
- Encrypt sensitive authentication data while stored
- Securely delete such data immediately after use

Secure Deletion of Cardholder Data (PA-DSS 2.1)

The following guidelines must be followed when dealing with Cardholder Data (Primary Account Number (PAN); Cardholder Name; Expiration Date; or Service Code):

- A customer defined retention period must be defined with a business justification.
- Cardholder data exceeding the customer-defined retention period or when no longer required for legal, regulatory, or business purposes must be securely deleted.
- Here are the locations of the cardholder data you must purge:

Files:	dbnetepay.mdf and dbnetepay.ldf
Tables:	MSSQL\$DatacapInstance – Tables: batch, version

• To purge the cardholder data you must do the following two things:

1. The application automatically and permanently purges (truncates) settled transactions. Unsettled transactions are stored in encrypted form. A user may manually purge all transactions by removing the database using the Datacap Systems Inc. supplied *NETePay Database Utility* as to delete the previous NETePay database, any backups and all logs:

- 1. Shut down **NETePay**
- 2. Using Windows Control Panel, select Add/Remove Programs
- 3. Select NETePay and remove it
- Locate the NETePay folder in <bootdrive>:/Program Files/Datacap Systems and use a secure file deletion utility to remove it. (Such as Eraser {<u>http://eraser.heidi.ie</u>} or Microsoft SDelete {<u>http://technet.microsoft.com/en-us/sysinternals/bb897443.aspx</u>})
- 5. Install **NETePay 5.0**
- 6. From the **Programs/Software from Datacap** group, run the **NETePay Database Manager**
- 7. Select Connect
- 8. Select Create New Database
- 9. Shut down NETePay Database Manager
- 10. Start NETePay 5.0

Important Note: Unsettled transactions should be settled before performing the procedure outlined above. Any unsettled transactions in the database when purged will be permanently lost.

2. In the operating system you must configure appropriate settings to prevent inadvertent retention of cardholder data.

To Address Inadvertent Capture of PAN on Windows 7:

Disabling System Restore – Windows 7

- Right Click on Computer > Select "Properties"
- Select "System Protection" on the top left list, the following screen will appear:

System Properties		-		×
Computer Name	Hardware Ac	dvanced	System Protection	Remote
Use system protection to undo unwanted system changes and restore previous versions of files. <u>What is system protection?</u>				
System Restore				
	system changes to a previous res		g <u>S</u> ysten	n Restore
	Protection Settings			
🚢 Local Disk (C:) (System) On				
and delete res	ore settings, ma tore points.	nage disk s	pace, Co	nfigure
	re point right no protection turned		ives that	ireate
	(ОК	Cancel	Apply

• Select Configure, the following screen will appear:

System Protection for Local Disk (C:)
Restore Settings
System Protection can keep copies of system settings and previous versions of files. Select what you would like to be able to restore:
Restore system settings and previous versions of files
Only restore previous versions of files
Turn off system protection
Disk Space Usage
You can adjust the maximum disk space used for system protection. As space fills up, older restore points will be deleted to make room for new ones.
Current Usage: 7.32 GB
Max Usage:
5% (7.45 GB)
Delete all restore points (this includes system settings and previous versions of files).
QK Cancel Apply

- Select "Turn off system protection"
- Click apply, and OK to shut the System Protection window
- Click OK again to shut the System Properties window
- Reboot the computer

Encrypting the System PageFile.sys – Windows 7

- Please note that in order to perform this operation the hard disk must be formatted using NTFS.
- Click on the Windows "Orb" and in the search box type in "cmd".
- Right click on cmd.exe and select "Run as Administrator"
- To Encrypt the Pagefile type the following command: fsutil behavior set EncryptPagingFile 1



• To verify configuration type the following command: fsutil behavior query EncryptPagingFile



• If encryption is enabled EncryptPagingFile = 1 should appear

• In the event you need to disable PageFile encryption type the following command: fsutil behavior set EncryptPagingFile 0



• To verify configuration type the following command: fsutil behavior query EncryptPagingFile



• If encryption is disabled EncryptPagingFile = 0 should appear

Clear the System Pagefile.sys on shutdown – Windows 7

Windows has the ability to clear the Pagefile.sys upon system shutdown. This will purge all temporary data from the pagefile.sys (temporary data may include system and application passwords, cardholder data (PAN/Track), etc.).

NOTE: Enabling this feature may increase windows shutdown time.

- Click on the Windows "Orb" and in the search box type in "regedit".
- Right click on regedit.exe and select "Run as Administrator"
- Navigate to HKLM\System\CurrentControlSet\Control\Session Manager\Memory Management
- Change the value from 0 to 1
- Click OK and close Regedit

Registry Editor	-	-	name (State)	Reprinted Material Stations Stationary	
File Edit View	Favorites Help				
	ServiceGro 🔺	Name	Туре	Data	
	ServiceProv	ab (Default)	REG SZ	(value not set)	
	A 🌗 Session Ma	ClearPageFileAt	REG DWORD	0x00000000 (0)	
	AppCo	DisablePagingEx	REG DWORD	0x00000000 (0)	
	Configu		REG_MULTI_SZ	\??\C:\pagefile.sys	
	DOS De	BargeSystemCac	REG_DWORD	0x00000000 (0)	
	Enviror Executi	🕫 NonPagedPool	REG_DWORD	0x00000000 (0)	
	FileRen	🕫 NonPagedPoolS	REG_DWORD	0x00000000 (0)	
	I/O Sys	🕫 PagedPoolQuota	REG_DWORD	0x00000000 (0)	
	kernel	8 PagedPoolSize	REG_DWORD	0x00000000 (0)	
	Known	ab PagingFiles	REG_MULTI_SZ	?:\pagefile.sys	
	Memor	🐻 Physical Address	REG_DWORD	0x00000001 (1)	
	Power	🐻 SecondLevelDat	REG_DWORD	0x0000000 (0)	
	Quota !	3 SessionPoolSize	REG_DWORD	0x00000004 (4)	
	SubSys	3 SessionViewSize	REG_DWORD	0x0000030 (48)	
	D WPA	🕫 SystemPages	REG_DWORD	0x0000000 (0)	
	P - 📕 SNMP			23	
	SQMServic	Edit DW0	ORD (32-bit) Value	23	
	⊳- i Srp	Value na	ama:		
	SrpExtensic =		ane. ageFileAtShutdown		
	⊳ J StillImage	ClearPa	igeFileAtShutdown		
		Value da	ata:	Base	
	SystemRes	1		Hexadecimal	
	TabletPC			O Decimal	
	Terminal S				
	TimeZonel			OK Cancel	
	🛛 🔒 usbflags 👻				
< III	•				
Computer\HKEY LC	CAL MACHINE\SYST	TEM\CurrentControlSet\0	Control\Session Man	ger\Memory Management	
parer (r mar_co				5	


- If the value does not exist, add the following:
 - Value Name: ClearPageFileAtShutdown
 - Value Type: REG_DWORD
 - Value: 1

Disable System Management of PageFile.sys – Windows 7

- Right Click on Computer > Select "Properties"
- Select "Advanced System Settings" on the top left list, the following screen will appear:

System Properties
Computer Name Hardware Advanced System Protection Remote
You must be logged on as an Administrator to make most of these changes.
Performance Visual effects, processor scheduling, memory usage, and virtual memory
Settings
User Profiles
Desktop settings related to your logon
Settings
Startup and Recovery
System startup, system failure, and debugging information
Settings
Environment Variables
OK Cancel Apply

• Under performance select "Settings" and go to the "Advanced" tab, the following screen will appear:



• Select "Change" under Virtual Memory, the following screen will appear:

Virtual Memory	×
Automatically mana	ge paging file size for all drives h drive
	Paging File Size (MB)
C:	System managed
Selected drive: Space available:	
Custom size:	
Initial size (MB):	
Ma <u>×</u> imum size (MB):	
System managed s	size
No paging file	Set
Total paging file size f	or all drives
Minimum allowed:	16 MB
	5935 MB
Currently allocated:	3957 MB
	OK Cancel
L]

- Uncheck "Automatically manage page file size for all drives"
- Select "Custom Size"
- Enter the following for the size selections:
 - \circ Initial Size as a good rule of thumb, the size should be equivalent to the amount of memory in the system.
 - \circ Maximum Size as a good rule of thumb, the size should be equivalent to 2x the amount of memory in the system.
- Click "Ok", "OK", and "OK"
- You will be prompted to reboot your computer.

Disable Windows Error Reporting – Windows 7


- Open the Control Panel
- Open the Action Center
- Select "Change Action Center Settings"

	-			×
6	🔍 🗢 🚩 🕨 Control Panel 🕨	All Control Panel Items + Action Center - 47 Search Control Panel		٩
	Control Panel Home Change Action Center settings Change User Account Control	Review recent messages and resolve problems No issues have been detected by Action Center.		•
	settings View archived messages	<u>S</u> ecurity	\checkmark	
	View performance information	<u>M</u> aintenance	\checkmark	
		If you don't see your problem listed, try one of these: Trgubleshooting Find and fix problems Find and fix problems Find and fix problems Find and fix problems		
	See also			
	Backup and Restore			
	Windows Update Windows Program Compatibility Troubleshooter			

• Select "Problem Reporting Settings"

				- • •
🕞 🕞 🛡 ኛ « Action Center 🔸 Change Action Center settings	→ 4	4 7	Search Control Panel	٩
Turn messages on or off For each selected item, Windows will check for proble How does Action Center check for problems	ems and send you a me	nessag	e if problems are found.	
Security messages				
Vindows Update	V Spyware and rela	ated p	protection	
Internet security settings	Vser Account Co	ontrol	I	
Vetwork firewall	Virus protection			E
Maintenance messages Windows Backup Windows Troubleshooting	☑ Check for update	tes		
Related settings Customer Experience Improvement Program setti Problem reporting settings	ngs			
			OK Cancel]


• Select "Never Check for Solutions"



To Address Inadvertent Capture of PAN on Windows 8, 10, Server 2008 or 2012:

Disable System Restore – Windows 8, 10, Server 2008 or 2012

• Right Click on Computer > Select "Properties":



• Select "Advanced System Settings" from the System screen:

12	System
🔄 🌛 🐇 🕈 🛃 ד Control Pan	el → All Control Panel Items → System
Control Panel Home	View basic information about your computer
🛞 Device Manager	Windows edition
🔋 Remote settings	Windows 8 Pro
🛞 System protection	© 2012 Microsoft Corporation. All rights reserved.
💡 Advanced system settings	Get more features with a new edition of Windows
	System

• Select "System Protection" on the top left list, the following screen will appear:

System Properties			
Computer Name Hardware Advanced System Protection Remote			
Use system protection to undo unwanted system changes.			
System Restore			
You can undo system changes by reverting your computer to a previous restore point. System Restore			
Protection Settings			
Local Disk (C:) (System) On			
Configure restore settings, manage disk space, Configure and delete restore points. Create a restore point right now for the drives that Create			
OK Cancel Apply			

• Select Configure, the following screen will appear:

System Protection for Local Disk (C:)
Restore Settings
By enabling system protection, you can undo undesired changes by reverting your computer to a previous point in time.
○ Turn on system protection
Disable system protection
Disk Space Usage
You can adjust the maximum disk space used for system protection. As space fills up, older restore points will be deleted to make room for new ones.
Current Usage: 0 bytes
Max Usage:
Delete all restore points for this drive. Delete
OK Cancel Apply

- Select "Disable system protection"
- Click apply, and OK to shut the System Protection window

- Click OK again to shut the System Properties window
- Reboot the computer

Encrypt PageFile.sys – Windows 8, 10, Server 2008 or 2012

- * Please note that in order to perform this operation the hard disk must be formatted using NTFS.
- From the desktop hold down the "Windows" key and type "F" to bring up the "Search" charm, select "Apps" in the "Apps" box type in "cmd".
- Right click on "Command Prompt" icon located on the left side of your screen, a selection bar will appear at the bottom of the screen, select "Run as Administrator"
- To verify configuration type the following command: fsutil behavior query EncryptPagingFile"



- If encryption is enabled EncryptPagingFile = 1 should appear
- If encryption is disabled EncryptPagingFile = 0 should appear
- To Encrypt the Pagefile type the following command: fsutil behavior set EncryptPagingFile 1



• In the event you need to disable PageFile encryption type the following command: fsutil behavior set EncryptPagingFile 0



Clear the System Pagefile.sys on shutdown – Windows 8, 10, Server 2008 or 2012

Windows has the ability to clear the Pagefile.sys upon system shutdown. This will purge all temporary data from the pagefile.sys (temporary data may include system and application passwords, cardholder data (PAN/Track), etc.).

NOTE: Enabling this feature may increase windows shutdown time.


- From the desktop hold down the "Windows" key and type "F" to bring up the "Search" charm, select "Apps" in the "Apps" box type in "regedit".
- Right click on regedit.exe and select "Run as Administrator"
- Navigate to HKLM\System\CurrentControlSet\Control\Session Manager\Memory Management
- Change the value from 0 to 1 on the "ClearPageFileAtShutdown" DWORD.
- Click OK and close Regedit

File Edit View Favorites Help ServiceFro AppCo AppCo AppCo AppCo AppCo Config Editol/PageFileAt REG_DWORD 0x0000000 (0) BitablePagingEx REG_DWORD 0x0000000 (0) BitageSystemCac REG_DWORD 0x0000000 (0) BitageSystemPages REG_DWORD 0x00000000 (0) Bitag


- If the value does not exist, add the following:
 - Value Name: ClearPageFileAtShutdown
 - Value Type: REG_DWORD
 - Value: 1

Disable System Management of PageFile.sys – Windows 8, 10, Server 2008 or 2012

• Right Click on Computer > Select "Properties":



• Select "Advanced System Settings" from the System screen:



• Select the "Advanced" tab:

System Properties	х
Computer Name Hardware Advanced System Protection Remote	
You must be logged on as an Administrator to make most of these changes.	
Performance	
Visual effects, processor scheduling, memory usage, and virtual memory	
Settings	
User Profiles	
Desktop settings related to your sign-in	
Settings	
Startup and Recovery	
System startup, system failure, and debugging information	
California	
Settings	
Environment Variables	. 1
Environment variables	
OK Cancel Apply	

• Under performance select "Settings" and go to the "Advanced" tab, the following screen will appear:

Performance Options
Visual Effects Advanced Data Execution Prevention
Processor scheduling Choose how to allocate processor resources.
Adjust for best performance of:
Programs Background services
Virtual memory
A paging file is an area on the hard disk that Windows uses as if it were RAM.
Total paging file size for all drives: 384 MB
Change
OK Cancel Apply


• Select "Change" under Virtual Memory, the following screen will appear:

✓ Automatically manage paging file size for all drives Paging file size for each drive Drive [Volume Label] Paging File Size (MB) C: System managed Selected drive: C: Space available: 35129 MB O Custom size: Initial size (MB): Initial size (MB): System managed size No paging file Set Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB Currently allocated: 384 MB	V	irtual Memory	×	
C: System managed Selected drive: C: Space available: 35129 MB Custom size: Initial size (MB): Initial size (MB): Maximum size (MB): System managed size No paging file No paging file Set Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB				
Selected drive: C: Space available: 35129 MB Custom size: Initial size (MB): Maximum size (MB): System managed size No paging file Set Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB				
Space available: 35129 MB Custom size: Initial size (MB): Maximum size (MB): System managed size No paging file Set Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB	C:	System managed		
Space available: 35129 MB Custom size: Initial size (MB): Maximum size (MB): System managed size No paging file Set Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB				
Space available: 35129 MB Custom size: Initial size (MB): Maximum size (MB): System managed size No paging file Set Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB				
Initial size (MB): Maximum size (MB): System managed size No paging file Set Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB				
System managed size No paging file Set Set Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB	0			
No paging file Set Total paging file size for all drives Minimum allowed: Minimum allowed: 16 MB Recommended: 2047 MB	Maximum size (MB);			
Total paging file size for all drives Minimum allowed: 16 MB Recommended: 2047 MB	System managed s	ize		
Minimum allowed: 16 MB Recommended: 2047 MB	No paging file	Set		
Recommended: 2047 MB				
		20110		
OK Cancel		OK Can	cel	

- Uncheck "Automatically manage page file size for all drives"
- Select "Custom Size"
- Enter the following for the size selections:
 - Initial Size as a good rule of thumb, the size should be equivalent to the amount of memory in the system.
 - Maximum Size as a good rule of thumb, the size should be equivalent to 2x the amount of memory in the system.
- Click "Ok", "OK", and "OK"
- You will be prompted to reboot your computer.

Disable Windows Error Reporting – Windows 8, 10, Server 2008 or 2012


- From the desktop hold down the "Windows" key and type "I" to bring up the "Settings" charm, select "Control Panel".
- Open the Action Center
- Select "Change Action Center Settings":



• Select "Problem Reporting Settings":

p	Change Action Ce	enter settings –	□ ×
€ ∋ - ↑	🚩 « Action Center 🕨 Change Action Center setti	ngs v 🖒 Search Control Panel	Q
	Turn messages on or off For each selected item, Windows will check for probl How does Action Center check for problems Security messages	ems and send you a message if problems are found.	
	✓ Windows Update	 Spyware and unwanted software protection 	
	 Internet security settings 	✓ User Account Control	
	✓ Network firewall	✓ Virus protection	
	✓ Microsoft account	SmartScreen	
	✓ Windows activation		
	Maintenance messages		
	✓ Windows Backup	 Windows Troubleshooting 	
	 Automatic Maintenance 	✓ HomeGroup	
	 Drive status 	 File History 	
	 Device software 	✓ Storage Spaces	
	Startup apps		
	Related settings		
Customer Experience Improvement Program settings			
	Problem reporting settings		
	Windows Update settings		
		OK Cancel	

• Select "Never Check for Solutions":



• Select "OK" twice and then close Action Center.

Any cardholder data you store outside of the application must be documented and you must define a retention period at which time you will purge (render irretrievable) the stored cardholder data.

All PAN is Masked by Default (PA-DSS 2.2)

NETePay 5 does not have the ability to display full PAN for any reason and therefore there are no configuration details to be provided as required for PA-DSS v3.1.

Cardholder Data Encryption Key Management (PA-DSS 2.3, 2.4 and 2.5)

NETePay 5 does store cardholder data and does not have the ability to output PAN data for storage outside of the payment application. NETePay 5 uses an encryption methodology with dynamically generated keys to automatically encrypt all locations/methods where cardholder data is stored.

NETePay 5 does not output PAN for use or storage in a merchants environment for any reason therefore there are no location or configuration details to provide as required by PA-DSS v3.1.

NETePay 5 using 3DES 192bit dynamic encryption key methodology performs the following key management functions automatically and there are no key custodians or intervention required by customers or resellers/integrators.

- Generation of strong cryptographic keys.
- Secure cryptographic key distribution.
- Secure cryptographic key storage.
- Cryptographic key changes for keys that have reached the end of their cryptoperiod.
- Retire or replace keys when the integrity of the key has been weakened and/or when known or suspected compromise. If retired or replaced cryptographic keys are retained, the application cannot use these keys for encryption operations.
- Manual clear-text cryptographic key-management procedures require split knowledge and dual control of keys.
- Prevention of unauthorized substitution of cryptographic keys.

Removal of Historical Cryptographic Material (PA-DSS 2.6)

NETePay 5 has the following versions that previously encrypted cardholder data:

- Version 5.00
- Version 5.05
- NETePay 5 uses previously validated encryption algorithms that are PCI Compliant. Therefore there is no need to render historical cryptographic keys or cryptograms irretrievable as they are still in use by the payment application.

Set Up Strong Access Controls (3.1 and 3.2)

The PCI DSS requires that access to all systems in the payment processing environment be protected through use of unique users and complex passwords. Unique user accounts indicate that every account used is associated with an individual user and/or process with no use of generic group accounts used by more than one user or process.

Authentication credentials are not generated or managed by the payment application. Instead, authentication credentials used by the payment application are provided by the Windows operating system. To maintain PCI DSS compliance the following 11 points must be followed per the PCI DSS:

- 1. You must not use or require the use of default administrative accounts for other necessary or required software (for example, database default administrative accounts) (PCI DSS 2.1 / PA-DSS 3.1.1)
- 2. You must assign unique IDs for all user accounts. (PCI DSS 8.1.1 / PA-DSS 3.1.3). *NETePay 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.*
- 3. You must provide at least one of the following three methods to authenticate users: (PCI DSS 8.2 / PA-DSS 3.1.4). *NETePay 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.*
 - a. Something you know, such as a password or passphrase
 - b. Something you have, such as a token device or smart card
 - c. Something you are, such as a biometric
- 4. You must NOT require or use any group, shared, or generic accounts and passwords (PCI DSS 8.5 / PA-DSS 3.1.5). *NETePay 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.*

- 5. You must configure passwords must to be at least 7 characters and includes both numeric and alphabetic characters (PCI DSS 8.2.3 / PA-DSS 3.1.6). *NETePay 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.*
- 6. You must configure passwords to be changed at least every 90 days (PCI DSS 8.2.4 / PA-DSS 3.1.7). *NETePay 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.*
- 7. You must configure passwords so that password history is kept and requires that a new password is different than any of the last four passwords used (PCI DSS 8.2.5 / PA-DSS 3.1.8). *NETePay* 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.
- 8. The payment application limits repeated access attempts by locking out the user account after not more than six logon attempts (PCI DSS 8.1.6 / PA-DSS 3.1.9). *NETePay 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.*
- 9. The payment application sets the lockout duration to a minimum of 30 minutes or until an administrator enables the user ID. (PCI DSS 8.1.7 / PA-DSS 3.1.10). *NETePay 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.*
- 10. The payment application requires the user to re-authenticate to re-activate the session if the application session has been idle for more than 15 minutes. (PCI DSS 8.1.8 / PA-DSS 3.1.11). *NETePay 5 does not support user account access directly; a Windows Group access policy should be established as indicated below.*

You must assign strong passwords to any default accounts (even if they won't be used), and then disable or do not use the accounts.

These same account and password criteria from the above 10 or 11 requirements must also be applied to any applications or databases included in payment processing to be PCI compliant. NETePay 5, as tested in our PA-DSS validation, meets, or exceeds these requirements.

PA-DSS 3.2: Control access, via unique username and PCI DSS-compliant complex passwords, to any PCs or servers with payment applications and to databases storing cardholder data.


Establishing a Windows Secure Group Access Policy

Users should configure a Windows secure group access policy on the machine on which NETePay 5 is installed.

Your Windows operating system environment must be modified to comply with the above requirements. Access these settings by going to Start/Run and type MMC. Add the snap-in for Group Policy Editor and change the security settings as shown below. Under Account Policies select Password Policy and change the settings to the recommended settings shown to enforce password history, password age, password complexity and password encryption:

Console Root	Policy -	Security Setting	Actions	_
J Local Computer Policy	Enforce password history	12 passwords remembered	Password Policy	
Computer Configuration Software Settings	C Maximum password age	30 days	More Actions	
Sortware Seconds Windows Settings	Minimum password age Minimum password length	25 days 12 characters	- and the second second	
📧 🧱 Name Resolution Policy	Password must meet complexity requirements	Enabled	Store passwords us	
Scripts (Starbup/Shubdown)	Store passwords using reversible encryption	Enabled	More Actions	_
Borne Process Wondows Prevend with Advanced Security Windows Prevend with Advanced Security Windows Prevend with Advanced Security Proceeding Palaces Software Restriction Policies Software Restriction Policies Software Restriction Policies Borne Palaces Software Restriction Policies Software Restriction				

In addition to setting the password duration and complexity, you should also change the default settings for account lockout policy as shown below. The account should be locked out after three invalid login attempts for a minimum of 30 minutes:



Local client machines or desktops must be configured to have a screen saver that is password protected that will be enabled if the system sits idle for 15 minutes:

👺 Screen Saver Settings	×
Screen Saver	
Windows 7	
.0	
Screen saver	
3D Text ▼ Se <u>t</u> tings Pre <u>v</u> iew	
Wait: 15 - minutes 🔽 On resume, display logon screen	
Power management	
Conserve energy or maximize performance by adjusting display brightness and other power settings.	
Change power settings	
OK Cancel Apply	-
OK Cancel Apply	

Properly Train and Monitor Admin Personnel

It is your responsibility to institute proper personnel management techniques for allowing admin user access to cardholder data, site data, etc. You can control whether each individual admin user can see credit card PAN (or only last 4).

In most systems, a security breach is the result of unethical personnel. So pay special attention to whom you trust into your admin site and whom you allow to view full decrypted and unmasked payment information.

Log settings must be compliant (PA-DSS 4.1.b, 4.4.a, 4.4.b)

4.1.b: NETePay 5 has PA-DSS compliant logging enabled by default. This logging is not configurable and may not be disabled. <u>Disabling or subverting the logging function of NETePay 5</u> in any way will result in non-compliance with PCI DSS.

4.4.b: <u>NETePay 5</u> facilitates centralized logging.

NETePay 5 records logs of all activity initiated by a DSIClientX, dsiPDCX or dsiEMVX clients. The logs do not record any sensitive cardholder information. Only truncated PAN's and truncated expiration dates are included in the logs. The log files are in the following location on the install volume:

/Program Files/Datacap Systems/NETePay/DATACAP_LOGS

Log files are recorded by date in individual ASCII files named as follows:

DSIMMDDYYYY.log

Where MM = Month, DD = Day and YYYY = Year.

The format of the log files is plain text that may be imported into appropriate logging utilities.

PCI-Compliant Wireless settings (PA-DSS 6.1.a and 6.2.b)

NETePay 5 <u>does not</u> support wireless technologies. However, should the merchant implement wireless access within the cardholder data environment, the following guidelines for secure wireless settings must be followed per PCI Data Security Standard 1.2.3, 2.1.1 and 4.1.1:

2.1.1: Change wireless vendor defaults per the following 5 points:

- 1. Encryption keys must be changed from default at installation, and must be changed anytime anyone with knowledge of the keys leaves the company or changes positions
- 2. Default SNMP community strings on wireless devices must be changed <
- 3. Default passwords/passphrases on access points must be changed
- 4. Firmware on wireless devices must be updated to support strong encryption for authentication and transmission over wireless networks
- 5. Other security-related wireless vendor defaults, if applicable, must be changed

1.2.3: Perimeter firewalls must be installed between any wireless networks and systems that store cardholder data, and these firewalls must deny or control (if such traffic is necessary for business purposes) any traffic from the wireless environment into the cardholder data environment.

4.1.1: Industry best practices (for example, IEEE 802.11.i) must be used to implement strong encryption for authentication and transmission of cardholder data.

Note: The use of WEP as a security control was prohibited as of June 30, 2010.

Services and Protocols (PA-DSS 8.2.c)

NETePay 5 does not require the use of any insecure services or protocols. Here are the services and protocols that NETePay 5 does require:

NETePay requires and supports TLS 1.0, 1.1 or 1.2 and will automatically use the most secure version supported by the payment processing service.

NETePay 5 must be installed on a system that supports TLS 1.0, 1.1 or 1.2. These secure protocols must be enabled in order for use by the Windows Crypto library. If necessary, users should enable these protocols in IE (which will apply the appropriate registry settings).

Never store cardholder data on internet-accessible systems (PA-DSS 9.1.c)

Never store cardholder data on Internet-accessible systems (e.g., web server and database server must not be on same server.)

PCI-Compliant Remote Access (10.1)

The PCI standard requires that if employees, administrators, or vendors are granted remote access to the payment processing environment; access should be authenticated using a two-factor authentication mechanism. The means two of the following three authentication methods must be used:

- 1. Something you know, such as a password or passphrase
- 2. Something you have, such as a token device or smart card
- 3. Something you are, such as a biometric

NETePay 5 does not natively support any remote access functionality. NETePay 5 supports most types of two-factor remote solutions and does not require any specific one to be used. All two-factor vendor guidance should be followed to use that technology correctly and you should choose one that clearly uses to of the above. No configuration of NETePay 5 is required to accomplish this.

PCI-Compliant Delivery of Updates (PA-DSS 10.2.1)

Datacap Systems Inc. does not deliver separate patches and updates for NETePay 5.

Any NETePay 5 application updates needed to address security issues are released as a new full installation package in the form of a self-extracting installer that is code signed with a VeriSign certificate.

Datacap will notify users of the availability and advisability of installing updated applications via email and will supply a download link to obtain the updated application installer. The user must use the Windows Remove Application function from the Control Panel to remove the previous version of NETePay 5 then execute the new self-extracting installer to re-install the NETePay 5 application.

As a development company, we keep abreast of the relevant security concerns and vulnerabilities in our area of development and expertise.

Our continuing security education activities are comprised of the following:

• Attendance at Coalfire (and other) Security Seminars

Datacap underwrites attendance of development personnel at appropriate security seminars. Emphasis is on Coalfire content and presentation because of the their emphasis on PCI-DSS and PA-DSS security issues. However, relevant presentations by other businesses or organizations, such as Microsoft, with expertise in application security are regularly considered.

Encourage recommendations for technical library purchases on security subjects

Datacap encourages all members of the technical staff to select, review and recommend purchase by the company of relevant books (and other printed or electronic materials) for inclusion in the company's permanent reference collection. Recommended purchases are discussed among staff members at regular and informal meetings for their relevance and usefulness.

Regular review of OWASP (Open Web Application Security Project) website

Datacap encourages all members of the technical staff to regularly visit the website of the Open Web Application Security Project at <u>www.owasp.org</u>. Particular attention to the Columns and Papers sections is encouraged to provide current perspectives on trends and issues in application security.

Regular review of US-CERT Current Activity

Datacap encourages all members of the technical staff to regularly visit the website of US-CERT (United States Computer Emergency Readiness Team) at (<u>http://www.us-cert.gov/current/</u>) to

monitor potential threats to security. Review of this website is encouraged for all members of the technical staff weekly for relevance to NETePay security.

• Regular review of SecurityTracker Weekly Vulnerability Summary Newsletter

Datacap subscribes to SecurityTracker's Weekly Vulnerability Summary Newsletter (<u>www.securitytracker.com</u>) and encourages all members of the technical staff to review updates weekly for relevance to NETePay security.

Once we identify a relevant vulnerability, we work to develop and test an updated NETePay 5 application that helps protect NETePay 5 against the specific, new vulnerability.

We attempt to publish an updated application within 10 days of the identification of the vulnerability. We will then contact vendors and dealers to encourage them to install the updated application. Typically, merchants are expected to respond quickly to and install available updated applications within 30 days.

We do not deliver software and/or updates via remote access to customer networks. Instead, software and updated NETePay 5 applications are available via download from a Datacap supplied URL in an email notification. Downloads are code signed with a VeriSign certificate to assure integrity.

We recommend the use of a personal firewall product if computer is connected via VPN or other high-speed connection, to secure these "always-on" connections, per PCI Data Security Standard 1.3.10.

PCI-Compliant Remote Access (10.3.2.b)

NETePay 5 does not natively support any remote access functionality.

The PCI standard requires that if employees, administrators, or vendors are granted remote access to the payment processing environment; access should be authenticated using a two-factor authentication mechanism (username/ password and an additional authentication item such as a token or certificate).

In the case of vendor remote access accounts, in addition to the standard access controls, vendor accounts should only be active while access is required to provide service. Access rights should include only the access rights required for the service rendered, and should be robustly audited. If users and hosts within the payment application environment may need to use third-party remote access software such as Remote Desktop (RDP)/Terminal Server, PCAnywhere, etc. to access other hosts within the payment processing environment, special care must be taken.

In order to be compliant, every such session must be encrypted with at least 128-bit encryption (in addition to satisfying the requirement for two-factor authentication required for users connecting from outside the payment processing environment). For RDP/Terminal Services, this means using the high encryption setting on the server, and for PCAnywhere, it means using symmetric or public key options for encryption. Additionally, the PCI user account and password requirements will apply to these access methods as well.

When requesting support from a vendor, reseller, or integrator, customers are advised to take the following precautions:

- Change default settings (such as usernames and passwords) on remote access software (e.g. VNC)
- · Allow connections only from specific IP and/or MAC addresses

- Use strong authentication and complex passwords for logins according to PA-DSS 3.1.1 3.1.10 and PCI DSS 8.1, 8.3, and 8.5.8-8.5.15
- Enable encrypted data transmission according to PA-DSS 12.1 and PCI DSS 4.1
- Enable account lockouts after a certain number of failed login attempts according to PA-DSS 3.1.8 and PCI DSS 8.5.13
- Require that remote access take place over a VPN via a firewall as opposed to allowing connections directly from the internet
- Enable logging for auditing purposes
- Restrict access to customer passwords to authorized reseller/integrator personnel.
- Establish customer passwords according to PA-DSS 3.1.1 3.1.10 and PCI DSS Requirements 8.1, 8.2, 8.4, and 8.5.

Data Transport Encryption (PA-DSS 11.1)

The PCI DSS requires the use of strong cryptography and encryption techniques with at least a 128bit encryption strength (either at the transport layer with TLS or IPSEC; or at the data layer with algorithms such as RSA or Triple-DES) to safeguard cardholder data during transmission over public networks (this includes the Internet and Internet accessible DMZ network segments).

You must use strong cryptography and security protocols such as transport layer security (TLS 1.1 / TLS 1.2) and Internet protocol security (IPSEC) to safeguard sensitive cardholder data during transmission over open, public networks.

Examples of open, public networks that are in scope of the PCI DSS are:

- The Internet
- Wireless technologies
- Global System for Mobile Communications (GSM)
- General Packet Radio Service (GPRS)

Refer to the Dataflow diagram for an understanding of the flow of encrypted data associated with NETePay 5.

NETePay 5 verifies the certificates of the payment processors it communicates with by verifying certificate ownership, expiration status and the acceptable signing authority.

NETePay 5 programmatically allows only secure versions of PCI-DSS acceptable protocols.

NETePay 5 has no configuration options that allow for a user to choose an improper encryption strength. The application does this programmatically with no user input.

PCI-Compliant Use of End User Messaging Technologies (PA-DSS 11.2.b)

NETePay 5 does not allow or facilitate the sending of PANs via any end user messaging technology (for example, e-mail, instant messaging, and chat).

PCI requires that cardholder information sent via any end user messaging technology must use strong encryption of the data.

Non-console Administration (PA-DSS 12.1)

Although NETePay 5 does not support non-console administration and we do not recommend using non-console administration, should you ever choose to do this, you must use SSH, VPN, or TLS 1.2 or higher (configured to prevent fallback to SSLv3) for encryption of this non-console administrative access.

Network Segmentation

The PCI DSS requires that firewall services be used (with NAT or PAT) to segment network segments into logical security domains based on the environmental needs for Internet access. Traditionally, this corresponds to the creation of at least a DMZ and a trusted network segment where only authorized, business-justified traffic from the DMZ is allowed to connect to the trusted segment. No direct incoming Internet traffic to the trusted application environment can be allowed. Additionally, outbound Internet access from the trusted segment must be limited to required and justified ports and services.

• Refer to the standardized Network diagram for an understanding of the flow of encrypted data associated with NETePay 5.

Maintain an Information Security Program

In addition to the preceding security recommendations, a comprehensive approach to assessing and maintaining the security compliance of the payment application environment is necessary to protect the organization and sensitive cardholder data.

The following is a very basic plan every merchant/service provider should adopt in developing and implementing a security policy and program:

- Read the PCI DSS in full and perform a security gap analysis. Identify any gaps between existing practices in your organization and those outlined by the PCI requirements.
- Once the gaps are identified, determine the steps to close the gaps and protect cardholder data. Changes could mean adding new technologies to shore up firewall and perimeter controls, or increasing the logging and archiving procedures associated with transaction data.
- · Create an action plan for on-going compliance and assessment.
- Implement, monitor and maintain the plan. Compliance is not a one-time event. Regardless of merchant or service provider level, all entities should complete annual self-assessments using the PCI Self Assessment Questionnaire.
- Call in outside experts as needed.

Application System Configuration

Below are the operating systems and dependent application patch levels and configurations supported and tested for continued PCI DSS compliance.

- Microsoft Windows Windows Server 2008 or 2012, Windows 7 SP1, Windows 8, 10, Server 2008 or 2012 or Windows 10. All latest updates and hotfixes should be applied.
- 2 GB of RAM minimum, 4 GB or higher recommended
- 50 GB of available hard-disk space
- Microsoft Internet Explorer with 128-bit encryption, Microsoft Internet Explorer 6.0 or higher recommended
- TCP/IP network connectivity. (Persistent Internet connection recommended)
- SQLExpress2008 R2 All latest updates and hotfixes should be applied.

Payment Application Initial Setup & Configuration

• Installation of NETePay 5 and associated database and utilities requires Administrator access in Windows. Datacap advises users to change default password and manage Windows passwords according to PCI DSS 3.1

INSTALLATION

Introduction

This chapter explains how to install and configure the following NETePay components.

- NETePay
- DSIEMVClientX
- Microsoft Internet Explorer 6.0 (or later) with High Encryption

You will need to install all the components on the server.

Each client machine will require one of either DSIClientX or dsiPDCX to be installed.

If you are using version 5.1 (or later) of Microsoft Internet Explorer that already has high encryption, installation of Microsoft Internet Explorer 6.0 (or later) with High Encryption is optional. If you are using a version prior to 5.1, you must upgrade your Internet Explorer installation.

Requirements

Baseline System Configuration

To successfully install and run *NETePay* on your server, it should meet or exceed the following system requirements:

- Microsoft Windows Server 2008, Windows Server 2012, Windows 7, Windows 8 or Windows 10. All latest service packs, updates and hotfixes must be applied. *Refer to Chapter 2 – PA-DSS 3.1 Implementation Guide for complete instructions for PCI compliant installation.*
- 4 GB of RAM minimum, 8 GB or higher recommended
- 50 GB of available hard-disk space
- Microsoft Internet Explorer with 128-bit encryption, Microsoft Internet Explorer 6.0 or higher recommended
- TCP/IP network connectivity.
- Available COM port (if using dial backup or dial primary communications)
- Datacap DialLink modem (if using dial backup or dial primary communications)
- Persistent Internet Connection (DSL, cable, frame relay, etc.)

Installation Procedures

Downloading the NETePay Software

All components required for a NETePay 5 installation are available for download from Datacap's Software Download website at:

http://www.datacapepay.com

After agreeing with the Terms of Use, from the **Client Controls** section, select the ActiveX client for your installation (**DSIEMVClientX**). Then from the **NETePay 5.0** section, select the appropriate NETePay 5 from the list. Each download is an automatic self-extracting installer, just double click to install each required component and follow on-screen instructions.

Note: After installation, your copy of NETePay 5 must be activated before it can be used to process transactions. Chapter 4 details the steps for activation.

What's Included in the NETePay Installer Package

Note: Before you begin installing *NETePay* and its components, you should close all unnecessary programs and disable any anti-virus software.

The *NETePay* installer package is supplied as a self-extracting executable and includes the NETePay server application for Windows 7, Windows 8, Windows 10, Windows Server 2008 or Windows Server 2012 operating systems for both single and multi-pay point users.

- **DSIEMVClientX** XML ActiveX control downloaded and installed separately integrates into a Point of Sale or Restaurant application and sends encrypted payment authorization requests from client machines on a LAN to *NETePay* for processing.
- You must be logged in as an 'Administrator' to install NETePay and all of it's components. Installations performed when logged on as another user with rights less than 'Administrator' will not operate correctly.

Installing/Upgrading Microsoft Internet Explorer

NETePay uses Windows encryption services and requires that Internet Explorer with 128-bit encryption strength be installed on each system in the LAN. If needed, you must install or upgrade your server and each computer on the LAN with a version of Microsoft Internet Explorer that supports 128-bit encryption.

If needed, use the Windows Update on each PC to upgrade an existing version of IE to one that supports at least 128-bit encryption.

Installing NETePay (Required)

Note: You must be logged in as an 'Administrator' to install NETePay and <u>all</u> of it's components. Installations performed when logged on as another user with rights less than 'Administrator' will not operate correctly.

To install the NETePay Server software:

- 1. Open the NETePay Server folder on the *NETePay* CD-ROM and double-click **setup** (or setup.exe).
- 2. The installation wizard will start. When the Welcome screen appears, click Next.
- 3. Read and accept the End User License agreement and click Next.
- 4. Enter your **User Name** and **Organization**. If available on your operating system, make the application available to all users.
- 5. Click **Next**, then click **Install**. The installation wizard will then begin installing the necessary files on your computer.
- 6. Click **Finish** to complete the installation. A pop-up message will then appear and inform you to restart the computer.
- 7. Click Yes to restart the computer. *It is very important to restart at this time to avoid configuration problems!*

Installing SQL Express 2008 (Required)

Note: You must be logged in as an 'Administrator' to install NETePay and <u>all</u> of it's components. Installations performed when logged on as another user with rights less than 'Administrator' will not operate correctly.

To install the SQL Express 2008:

- 1. Open the *SQL Express 2008 DatacapInstance 1.00* folder on the *NETePay* CD-ROM and double-click **setup** (or setup.exe).
- 2. Accept all default values and click NEXT or INSTALL as requested.
- 3. Upon successful completion, you will be prompted to restart.
- 4. Click **Yes** to restart the computer. *It is very important to restart at this time to avoid configuration problems!*

Note: When SQL Express 2008 DatacapInstance is installed, an application named **NETePay Database Manager** is also installed in the Software from Datacap program group. This application provides basic maintenance functions, such as backup, restore and purge, and is covered in Chapter 5.

Installing DSIEMVClientX ActiveX Control (Required)

Note: You must be logged in as andAdministrator' to install NETePay and <u>all</u> of it's components. Installations performed when logged on as another user with rights less than 'Administrator' will not operate correctly.

Important:

- **DSIEMVClientX** is specific for use with NETePay severs that process Canadian EMV transactions. The **DSIClientX**, *dsiPDCX and dsiEMVUS* ActiveX controls will not operate with NETePay servers designed for Canadian EMV transaction processing.
- **DSIEMVClientX** requires that a properly programmed and encrypted Canadian EMV PIN Pad must be attached to a serial port on every POS workstation that will use **DSIEMVClientX**. Contact your Canadian EMV processing provider for assistance in procuring EMV PIN pads for configured for your specific merchant account.

To install the **DSIEMVClientX** ActiveX control:

- 1. Separately download the *DSIEMVClientX* installer and double-click the **exe** to start installation. You may download DSIEMVClientX from Datacap's website at: <u>http://datacapepay.com/downloadmenu/</u>
- 2. The installation wizard will start. When the Welcome screen appears, click Next.
- 3. Read and accept the End User License agreement and click Next.
- 4. Read the notes pertaining to *DSIEMVClientX* installation and click Next.
- 5. Enter your User Name and Organization.
- 6. If the option is available, make the application available to all users.
- 7. To begin installing the necessary files on your computer, click Next, and then click Install.
- 8. To complete the installation process, click **Finish**. A pop-up message will then appear and inform you to restart the computer.
- 9. Click Yes to restart the computer.

Installing Datacap DialLink modem (Required for Dial Operations)

Note: To use the dial capabilities of NETePay (either as backup or primary communications), a Datacap DialLink modem (not a DataTran) must be attached to an available COM port on the PC.

To install the Datacap DialLink modem for NETePay:

- 1. Connect the uDIN8 connector of the interface cable to the Datacap DialLink modem PC/ECR port.
- 2. Connect the DB9 end of the interface cable to the intended COM port on the PC.
- 3. Connect one end of the RJ11 cable to the TELCO connector on the Datacap DialLink modem.
- 4. Connect the other end of the RJ11 cable to a working phone line jack. No other devices should be connected to this phone line and plain old telephone service (POTS) line is best
- 5. Connect the transformer to the POWER connector on the Datacap DialLink modem.

Plug the transformer into a suitable 110VAC outlet. It is strongly recommended that a surge protector be used with the Datacap DialLink modem.

NETePay CONFIGURATION

Introduction

This chapter explains how to activate and configure Canadian EMV capable NETePay 5.0 for use.

NETePay is activated and programmed over the Internet so a working Internet connection is required for the process.


Note

Firewalls, routers or other systems that can block IP network traffic must allow NETePay to accept traffic on port 9000.

NETePay must complete two actions on the Internet before it is ready to process transactions. The first is to obtain a license file from Datacap's PSCS (Payment Systems Configuration Server) system. The second is to retrieve merchant parameters from Datacap's PSCS server.

Activation and Parameter Download

1. On the first program launch after installation, *NETePay* must obtain a license file over the Internet from Datacap's PSCS (Payment Systems Configuration Server) system. When NETePay detects that a serial number is required, it presents the following dialog:



Click 'Obtain Serial Number' to enable NETePay to contact PSCS for a serial number.

2. If NETePay is unsuccessful in obtaining a serial number, it will present the following dialog:

	×
♪	Successful Serialization is Necesssary to Continue - Application cannot start.
	ОК

Click 'OK' and NETePay will close. Failure to successfully obtain a serial number means that NETePay was not able to contact Datacap's PSCS server over the Internet to obtain a serial number. Assure that the Internet connection is operating properly by using the default web browser on the machine where NETePay is installed to contact <u>www.datacapsystems.com</u>. If you are successful in contacting Datacap's website, close the browser, restart NETePay and click 'Obtain Serial Number' again. If you continue to experience difficulties in obtaining a serial number, contact your network administrator to assure that there are no firewall or DNS issues.

3. At this point, NETePay could present two possible responses. If <u>NETePay is successful in obtaining</u> <u>a serial number but is unable to locate merchant parameters for the assigned serial number</u>, you will see the following dialog:



The dialog contains the 10-digit serial number that was automatically assigned to NETePay. Click 'OK' to continue and then you will see the following dialog:

DSINetCo	nnectEMVIP_Host	×
<u> </u>	Configuration not Set! - Use Setup Merchant Parameters	
	OK	

This dialog indicates that NETePay has not yet retrieved merchant parameters from Datacap's PSCS server and cannot operate until parameters are downloaded.

If a parameter file has been created on Datacap' PSCS server for the merchant account, then select 'Merchant Parameters' from the 'Setup' drop down menu. You will then see the following screen:


NETePay Parameters		
Merchant Information		
Merchant ID	Client ID	🔲 Send <memo> as Customer Data</memo>
00000000000	0000	Visa Debit OPT OUT
		Do Not Connect to Paymentech on Startup
		Verify NetConnect SSL Certificate
Merchant Category Re	tail 💌	Go To System Tray when Minimized.
NetConnect Information		NETePay Information
User ID	Password	Use Client / Server Password Tcp/lp Port (listen)
0	Ω	9000
	-	5000
- Transport	Dial Backup Inform	nation
C IP Only	Comm Port	Dial Prefix Paymentech Authorization Phone No.
C IP with DIAL Backup		18774880757
		18774880737
C DIAL Only		
- IP Connection Information-		
		Max Lanes 1 Lane Setup
Connect Timeout to	3 🖆 Seconds.	
NetConnect		OK Load New Parameters PSCS

This setup screen displays the current values for the merchant parameters which are all 0's indicating that merchant parameters have not yet been loaded from Datacap's PSCS server. Click 'Load New Parameters' and you will see the following screen:



This dialog serves as a reminder that after a successful download of merchant parameters to NETePay, you will need to download EMV parameters locally to each EMV PIN pad using commands implemented in your POS software. Refer to your POS Software documentation for instructions on downloading EMV parameters to your PIN pads.





×


To continue, you must verify that you or someone else has created a Merchant Deployment on Datacap's PSCS server. If a deployment was created you may have been given a Deployment ID, which is typically an eight-character code that has been assigned to the merchant's parameters. If you have a Deployment ID for the merchant, click 'I Have My Deployment ID'. If the merchant's parameters were created on PSCS but you do not have the Deployment ID, proceed to step 4.

When you click 'I Have My Deployment ID', you will see the following dialog:

Enter Deployment ID		×
Deployment ID		
OK	Cancel	

Enter the Deployment ID for the merchant parameter file and click 'OK'.

If NETePay detects that the Deployment ID is already in use by another serial number, you will see the following dialog:




If you see this Deactivation Warning dialog, proceed to step 5.

NETePay will display a screen with merchant demographic data for you to verify as follows:

Display Merchant Info		×
PSCS Deployment ID: dennipnhv59 Merchant Information		
Dennis 8660.94 Perymentech CAN EMV 5.10 1000 phiville, AL 11111 US Currently Activated Under this Serial Number: 8660.94.314865	X	
Yes, This is the Correct Merchant Cancel		

If the displayed information is not correct for the merchant site, click 'Cancel' and retry entry from the beginning of step 4. If the displayed information correctly identifies the merchant site, click 'Yes, This is the Correct Merchant'.

If NETePay successfully retrieves the parameters associated with the entered Deployment ID from the PSCS server, you will see the following dialog:



Click 'OK' and will then again see the setup screen as follows:

p NETePay Parameters		
Merchant Information		
Merchant ID	Client ID	🔲 Send < Memo> as Customer Data
700000200104	0002	Visa Debit OPT OUT
	0002	Do Not Connect to Paymentech on Startup
		Verify NetConnect SSL Certificate
Merchant Category	Retail 💌	Go To System Tray when Minimized.
	·	💌 do to system tray when winninzed.
- NetConnect Information		NETePay Information
Liser ID	Password	
		Use Client / Server Password Tcp/Ip Port (listen)
datacap	syst3ms06	9000
1	J J	
Transport	Dial Backup Infor	mation
IP Only	Comm Port	Dial Prefix Paymentech Authorization Phone No.
C IP with DIAL Ba	ackup 1	8. 18665214314
		0, 10000214014
C DIAL Only		
- IP Connection Information		
Connection Information		Max Lanes 2 Lane Setup
Connect Timeout to		
NetConnect	3 🚊 Seconds.	
		OK Load New Parameters PSCS

The setup screen now contains non-zero values in the text boxes throughout the screen indicating the values retrieved from Datacap's PSCS server. You should verify that the parameters are correct and then click 'OK' to complete the setup process. You will then see the NETePay main status window indicating that NETePay is now programmed and ready to process transactions.

NETePay (PAYMENTECH - NetConnect) #Requests-> 0 #Sockets-> 0 22:08:04	
File Setup Help	
3 1	
Internet Traffic	
Ready	

NETePay setup is complete.

4. If you don't have the PSCS Deployment ID for the merchant, click 'I Do NOT Have My Deployment ID' in the following dialog:

Collect Mercl	hant Information	×
	I Have My Deployment ID	
	I Do NOT Have My Deployment ID	

You will then see a dialog that will allow you to retrieve the PSCS merchant parameters from Datacap's PSCS server using merchant demographic information as follows:

Enter Demographics	×
PSCS Username	
Merchant Street Number	
Merchant Zip/Postal Code	
ОК	Cancel

You need the following information to complete the demographics dialog entries:

- The PSCS user under which the merchant parameter file was created on the PSCS server
- The merchant location street number (e.g. enter '123' for 123 Main St.)
- The merchant location 5 digit zip code or 6 character Canadian postal code

After entering this information, click 'OK'.

If NETePay is successful in retrieving the merchant parameters from Datacap's PSCS server, then you will see the following screen:

Display Merchant Info	×
PSCS Deployment ID: dennipnhv59 Merchant Information	
Dennis 8660.94 Paymentech CAN EMV 5.10 1000 pnhville, AL 11111 US Currently Activated Under this Serial Number: 8660.94.314865	
Yes, This is the Correct Merchant Cancel	


If the displayed information is not correct for the merchant site, click 'Cancel' and retry entry from the beginning of step 4. If the displayed information correctly identifies the merchant site, click 'Yes, This is the Correct Merchant'.

If NETePay detects that the selected merchant is already in use by another serial number, you will see the following dialog:

Deactivation of Software to Occur	×
There is currently activated software (SerialNo:8660.94.314865) processing under this deployment. Continuing will result in that Software Being Deactivated. Are you sure?	
Yes Cancel	1

If you see this Deactivation Warning dialog, proceed to step 5.

If the parameters are successfully loaded, you will see the following dialog:



Click 'OK' and you will then see the setup screen as follows:

Merchant ID 700000200104	Client ID	Send <memo> as Customer Data Visa Debit OPT OUT Do Not Connect to Paymentech on Startup</memo>
Merchant Category Retail	_	 Verify NetConnect SSL Certificate Go To System Tray when Minimized.
NetConnect Information		NETePay Information
	sword t3ms06	Use Client / Server Password Tcp/Ip Pott (listen)
Transport	Dial Backup Infor	mation
IP Only	Comm Port	Dial Prefix Paymentech Authorization Phone No.
C IP with DIAL Backup C DIAL Only	1 💌	8, 18665214314
IP Connection Information		Max Lanes 2 Lane Setup
In connection miomation		

The setup screen now contains non-zero values in the text boxes throughout the screen indicating the values retrieved from Datacap's PSCS server. You should verify that the parameters are correct and then click 'OK' to complete the setup process.


Lane Setup allows you to optionally change the description associated with each lane that was authorized in the PSCS parameter file. You cannot alter the number of lanes in NETePay; changes to the number of lanes must be done by editing the deployment file in PSCS.

You will then see the NETePay main status window indicating that NETePay is now programmed and ready to process transactions.

METePay (PAYMENTECH - NetConnect) #Requests-> 0 #Sockets-> 0 22:08:04	
File Setup Help	
Internet Traffic	
Redy T	

NETePay setup is complete.

5. If you receive the following Deactivation Warning dialog when entering a Deployment ID or Merchant Demographic Information that means another installation of NETePay is already using the merchant parameters associated with the Deployment ID or demographic information.



Verify that the Deployment ID or demographic information entered is correct; if not click 'Cancel' and retry the entry.

If the Deployment ID or merchant demographic information is correct and you want to force the parameters to load into NETePay, you should be aware that the NETePay with the serial number listed in the dialog box will be deactivated and will no longer be able to process transactions.

This dialog is typically encountered when the current NETePay is a replacement for a NETePay already activated for the same merchant who may have had a computer problem or hard disk failure that no longer allows them to use that earlier NETePay installation. This process will allow the new NETePay installation to use the existing merchant parameters associated with the entered Deployment ID without the need to create a new parameter file on Datacap's PSCS server.


WARNING:

Do not select 'Yes' unless you are certain that the NETePay with the serial number listed in the dialog box should be deactivated.

If you are certain that you want to deactivate the NETePay serial number listed in the Deactivation Warning dialog and use it with the new NETePay, then click 'OK'. You will see the following dialog that verifies your choice:



Click 'Yes' to if you are certain that you want to deactivate the NETePay serial number listed in the Deactivation Warning dialog and use it with the new NETePay. You will then see the following screen if the parameter download from Datacap's PSCS server is successful:



Click 'OK' and will then again see the setup screen as follows:

Merchant ID 700000200104	Client ID	Send <memo> as Customer Data Visa Debit OPT OUT Do Not Connect to Paymentech on Startup</memo>
Merchant Category Retail	•	 Verify NetConnect SSL Certificate Go To System Tray when Minimized.
NetConnect Information		NETePay Information
	sword t3ms06	Use Client / Server Password Top/Ip Port (listen) 9000
Transport	Dial Backup Infor	mation
IP Only	Comm Port	Dial Prefix Paymentech Authorization Phone No.
C IP with DIAL Backup C DIAL Only	1 *	8, 18665214314
IP Connection Information		
		Max Lanes 2 Lane Setup
Connect Timeout to	Seconds.	

The setup screen now contains non-zero values in the text boxes throughout the screen indicating the values retrieved from Datacap's PSCS server. You should verify that the parameters are correct and then click 'OK' to complete the setup process.

Lane Setup allows you to optionally change the description associated with each lane that was authorized in the PSCS parameter file. You cannot alter the number of lanes in NETePay; changes to the number of lanes must be done by editing the deployment file in PSCS.

You will then see the NETePay main status window indicating that NETePay is now programmed and ready to process transactions.

RETePay (PAYHERTECH - NetConnect) #Requests-> 0 #Sockets-> 0 22:08:04	
File Setup Help	
Internet Traffic	
Ready	

NETePay setup is complete.

Verifying Your Serial Number and Activation

You can verify the serial number assigned to your copy of NETePay by selecting **About** from the **Help** menu item in the main status window. You will see a dialog bog containing the serial number and some additional information of the activation that you may need to supply in certain support situations. An example of the dialog box information is as follows:



Testing

Important! - Before You Start

You should arrange with your bank and payment processor for testing *NETePay* and all other related components before going live. You should perform a sale and return transaction of \$1.00 for each card type you will be accepting using live credit and debit cards. You should then verify with your processing provider that all transactions were credited properly.

NETePay versions that process Canadian EMV card transactions use DSIEMVClientX which requires that a properly programmed and encrypted Canadian EMV PIN Pad must be attached to a serial port on every POS workstation that will use DSIEMVClientX. Once an EMV capable NETePay is properly installed and activated, it is necessary to perform an EMV parameter download for each EMV PIN pad. Consult your POS provider's documentation for instructions on how to perform a PIN parameter load. Since PIN pads can be inadvertently injected or programmed incorrectly, it is especially important to perform test transactions with a chip card and verify that it's processed for the correct merchant before accepting live customer payments.

It is the sole responsibility of the merchant account holder to verify that the merchant information entered into NETePay and the PIN pads is complete and correct.

You should only process actual customer payments after you have verified with your merchant account provider that all test transactions have been successfully processed.

Operational Considerations

Important!

NETePay relies on numerous services provided by Windows and other Microsoft software such SQLExpress. <u>Proper computer operation is imperative to ensure reliable NETePay operation</u> and prevent possible loss and/or corruption of transaction data.

The following operational guidelines *must* be observed to ensure reliable NETePay operation:

- *Always* quit NETePay from the File|Exit pull down menu before restarting or shutting down Windows.
- *Always* quit NETePay and then shut down Windows before turning off the computer power. Never turn off the computer power without first quitting NETePay and shutting down Windows.
- *Always* quit NETePay and shut down Windows before pressing the reset button on the computer.
- If the computer is subject to unplanned power losses, the use of an UPS (Uninterruptible Power Supply) is *highly recommended*.
- If you operate a backup copy of NETePay, you *must* procure unique terminal and/or merchant account information for each copy of NETePay from your processing provider. Operation of multiple copies of NETePay with identical merchant setup information may cause transactions to be lost or duplicated at your processing provider.

CHAPTER 5

USING THE NETEPAY DATABASE MANAGER

Introduction

This chapter explains how to use the *NETePay Database Manager* program to perform maintenance functions on *NETePay's* SQL Express database. The *NETePay Database Manager* program is installed as part of the NETePay installation. The *NETePay Database Manager* program is available in the Software from Datacap program group available under the Programs menu under the Windows Start button.

Maintenance Functions

The NETePay Database Manager can perform the following functions:

- **Connect** Before any of the maintenance functions can be performed, the NETePay Database Manager must be connected to the database.
- **Backup Database** This function will backup the current database to a file that is automatically named with the current date (or a user defined name). These backup files can subsequently be Restored if there's a database problem. *It is strongly recommended that you regularly backup the database*.
- **Purge & Shrink** This function allows you to control the size of the database by removing older transaction data based on its age. This function will prevent the database from growing too large and using disk storage inefficiently. *It is strongly recommended that you keep only the oldest transactions required by your processing provider and delete any older to save disk space.*
- Create New Database This function allows you to create a new, empty database with no transactions. Normally, this type of function would be used only when instructed by a technical support person.
- **Restore Database** This function allows you to restore a previously saved backup database file.
- **Export Database** This function allows you to export a copy of the data to a CSV (comma separated value) format file. Note that only open records (i.e. transactions which have not been settled) are included in the export file.

Using the NETePay Database Manager

To start, launch the program by selecting **NETePay Database Manager** from the **Software from Datacap** program group under **Start**|**Programs**. The following main screen will be presented:

Connecting to the Database

NE 🔀	TePay Database Manag	er	X
	Connect	Create New Database	
	Backup Database	Restore Database	
	Purge & Shrink	Export Data	
	E	ixit	

- 1. Before any of the maintenance functions can be performed, the NETePay Database Manager must be connected to the database. Click the **Connect** button.
- 2. If the NETePay database is located and successfully opened, after a few moments, you will see the following:

NE.	TePay Databas	se Manager		×
	Connec	DBManager X	ew Database	
	Backup Dat	Success!	e Database	
	Purge & Sł	ОК	ort Data	
		Exit		

If the Database Manager cannot establish a connection to the database, make sure that MSDE was previously installed and note the error codes.

Backing Up Your Database

1. To backup the current database, click the **Backup Database** button. The following dialog will be displayed:

Kenter av Database Manager	×
Backup Filename	×
Backup to File Backup created 08-13-03.bak OK Cancel	

- 2. A file name with today's date will automatically be generated. If that is acceptable, click OK. If you want a different file name to be used for the backup file, you may type it in the text box and click OK.
- 3. If the backup operation is successful, after a few moments, you will see the following:

NETePay I	Database	e Manage	21'		×
	Connec)BManag	er X	'ew Database	,
Bac	kup Dat		Success!	e Database	
Pu	urge & Sł	C	К	ort Data	
		E	xit		

Note: This function will backup the current database with the most recent transactions. Backup files can subsequently be Restored if there's a database problem. *It is strongly recommended that you regularly backup the database file.*

Purging and Shrinking Your Database

1. To remove old transaction data from the database and save disk storage space, click the **Purge** & Shrink button. The following dialog will be displayed:

NET NET	ePay Database Manager	×
P	urge and Shrink	
	Purge Options	
	Delete Records 1 Year or older.	
	C Delete Records 6 Months or older.	
	C Delete Records 30 Days or older.	
	OK Cancel	

- 2. Select the age of transaction records that you want to remove from the database and click OK.
- 3. If the **Purge and Shrink** operation is successful, after a few moments, you will see the following:

NET NET	rePay Databa	se Manager		×
	Connec	DBManager X	'ew Database	
	Backup Dat	Success!	e Database	
	Purge & Sł	ОК	ort Data	
		Exit		

Note: This function will prevent the database from growing too large and using disk storage inefficiently. *It is strongly recommended that you keep only the oldest transactions required by you processing provider and delete any older to save disk space.*

Creating a New Database

1. To create a new empty database, click the **Create Database** button. The following dialog will be displayed:

NETePay Database Manager	×
DBManager Database Exists Are you Sure you want to do this? Yes No	
Exit	

- 2. Since the **Create Database** operation replaces the current database with a new one, the dialog box will remind you that there's a current database. Click YES to proceed with create.
- 3. Since the current database will be lost, another dialog confirms the operation. Click YES to continue with the create.

🧏 NETePay Database	e Manager	X
DBMan	ager	abase
Back 🚺	Really Create?	pase
Pur	Yes No	
	Exit	

4. If the Create Database operation is successful, after a few moments, you will see the following:

NE.	FePay Databas	se Manager		2
	Connec	DBManager X	ew Database	
	Backup Dat	Success!	e Database	
	Purge & Sł	ОК	ort Data	
		Exit]	

Note: This function is normally used by support personnel. *Caution! Since this operation destroys any current data, make sure you backup any current database before using!*

Restoring Your Database

1. To restore and previously backed up database, click the **Restore Database** button. A file dialog will be presented and you should select the file that you want to restore to the current database:

Open			<u>? ×</u>
Look in: 🔁	Backups	- 🗧 🖬	➡ 🎟
📓 Backup cre	eated 06-11-03.bak		
🔳 Backup cre	eated 08-12-03.bak		
1			
File name:	Backup created 08-12-03.bak		Open
Files of type:	Backup File (*.bak)	-	Cancel
	Dackap (inc (indic)		

2. Since the restore operation replaces the current database with an older one, the dialog box will remind you that there's a current database. Click YES to proceed with restore.

MTePay Database Manager	×
DBManager 🔀	
Database Exists Are you Sure you want to do this?	
Yes No	
Exit	

3. Since the current database will be lost, another dialog confirms the operation. Click YES to continue with the restore.

MTEPay Database Manager	x
DBManager	
Back Really Restore? Pase	
Pur Yes No a	
Exit	

4. If the **Restore Database** operation is successful, after a few moments, you will see the following:



Note: This function will prevent the database from growing too large and using disk storage inefficiently. *It is strongly recommended that you keep only the oldest transactions required by you processing provider and delete any older to save disk space.*

Exporting Your Database

1. To backup the current database, click the **Backup Database** button. The following dialog will be displayed:

NETEPay Database Manager		×
Export OPEN Records	×	
Export to Filename (.CSV Format) Export created 08-13-03.csv OK Cancel]	

- 2. An export file name with today's date and a ".csv" extension will automatically be generated. If that is acceptable, click OK. If you want a different file name to be used for the export file, you may type it in the text box and click OK.
- 3. If the export operation is successful, after a few moments, you will see the following:

NETePay I	Database Manager 🔀
	Success! Would you like to try to view the exported file?
	Yes No
	Exit

If you select YES, then the exported file will open in an associated application (such as Microsoft Excel).